

1. General Information

ORGANIZATION



Ateliers d'Art de France

6, rue Jadin - 75017 Paris - France - Tel. +33 (0)1 44 01 08 30 - Fax: +33 (0)1 44 01 08

Exhibitor Relations: +33 (0)1 44 01 08 33

www.patrimoineculturel.com - patrimoine@ateliersdart.com

PLACE

Carrousel du Louvre - 99, rue de Rivoli - 75001 Paris - France

DATES AND HOURS

Preview opening Wednesday 4 November, by invitation only, from 7.00 pm to 10.30 pm

Open to the public:

- Thursday 5 to Saturday 7 November, 10.00 am to 7.00 pm
- Sunday 8 November, 10.00 am to 6.00 pm

GETTING THERE

See enclosed pages:

"ENTRANCES TO THE CARROUSEL DU LOUVRE"
"DELIVERY ZONE"

TRAVEL - ACCOMMODATION - EXCURSIONS - REDUCTIONS ON AIR FRANCE & SNCF

- To book a hotel, dinner, and excursion or to see a show in Paris during the exhibition, contact our agency. They will see that you benefit from their best rates:
Agence ATI Congrès: 46-48, rue Lauriston 75116 Paris, France.
Tel: +33 (0)1 47 27 15 15 Fax: +33 (0)1 44 05 01 48 - E-mail: patrimoine@ati-abotel.fr
- The French railway (SNCF) grants reductions to exhibitors upon presentation of a coupon that we can send you upon request.
- At your nearest Air France office or authorized travel agent, you will obtain a reduction of up to 50 % off the normal fare on the international network. Visitors' agreement code: 07438AF

SETTING UP

A precise schedule will be drawn up for entering the delivery zone on the day that the show is to be setup and on the day it is to be taken down. Return the enclosed form (page 6) to us as soon as possible. We will try to satisfy your request in accordance with the time slots available.

Vehicle Access:

Access to the delivery zone is through the tunnel on avenue du Général Lemonnier only, via the Quai des Tuileries or Pont Royal. Follow the signs: "Parking livraisons du Carrousel du Louvre". (Maximum height: 3.90 metres)

Schedule for setting up the stands:

- Unequipped stands: Tuesday 3 November, starting 12 noon
- Equipped and Artisan stands: Wednesday 4 November, starting 8.00 am

Working hours during the installation:

- Tuesday 3 November: 12 noon to 7.00 pm
- Wednesday 4 November: 8.00 am – 5.00 pm

Electricity switched on at the stands:

- Wednesday 4 November, starting 9.00 am

All stands must be fitted out and accessible for cleaning, by 5 pm on Wednesday 4 November.

Please feel free to contact our technical department:

Marc Mayeur, mobile: +33 (0)6 15 54 39 18 – e-mail: marc.mayeur@t2prod.fr

1. General Information

(continued)

TAKING DOWN THE EXHIBITION

Out of respect for the visitors, it is strictly forbidden to close the stands or begin taking them down before the official closing of the exhibition on Sunday 8 November at 6 pm. The exhibition will be dismantled on Sunday 8 November, starting at 6.30 pm until 12 midnight.

Vehicle Access:

- Light vehicles: starting 6.30 pm
- Vehicles more than 3.5 tons: starting 7.30 pm

DELIVERIES

During the exhibition, deliveries may only be made in the morning from 8.00 am and 9.30 am.

BADGES

Badges are free and admit you into the exhibition all day every day starting 9.00 am. You will be able to collect your badges from the organizer's office when you arrive at the Carrousel to set up your stand, but only after the balance due on your invoice has been paid in full (1 badge per 3 m² stand).

DECORATION

Decorators must submit a detailed plan of their project to the organiser's technical department for approval. Unless special permission has been granted in writing by Ateliers d'Art de France, the decoration must not exceed a height of 2.50 metres (including the sign). It is not possible to hang anything up within the structures of the Carrousel du Louvre. Nailing, screwing or stapling into the floor of the Carrousel halls is strictly prohibited. The fragility of the parquet floor makes it impossible to use water as a decorative element.

CLEANING

Only the "Equipped" stands will be cleaned before the opening. For maintenance of the stands during the exhibition, exhibitors will need to draw up a contract with VI Paris. Order form on request.

ELECTRICITY BOX

Only "equipped" and "artisan" stands come with lighting.

Exhibitors who have booked an "unequipped" stand must order one or several electrical connections directly from Ateliers d'Art de France - See order form enclosed (form no.3)

PARKING DURING THE PERIOD OF THE EXHIBITION

The Carrousel Louvre parking garage has capacity for 600 light vehicles (maximum height: 1.90 m) with direct access to the halls by lifts and escalators. The parking garage is accessible using the Avenue du Général Lemonnier when coming from Rue de Rivoli or the Quai des Tuileries.

The parking garage closes its doors at night from 11 pm to 7 am.

The exit is open 24 hours a day.

Send the enclosed order form to Ateliers d'Art de France (form no.2).

Transporting material or equipment by trolley, cart or pallet truck between the exhibition and the public parking area is not authorized.

2. Parking

(During the period of the show)

Photocopy and return **original**
to: **Ateliers d'Art de France**
6, rue Jadin, 75017 Paris, France
Tel. +33 (0)1 44 01 08 30 - Fax: +33 (0)1 44 01 08 45
Deadline for returning this form: 16 October 2009

Located underneath the Carrousel garden, on two levels, the light-vehicle "Carrousel-Louvre véhicules légers" parking garage offers 600 parking spaces with access direct by lift and mechanical stairs

ACCESS LIGHT VEHICLES: maximum height: 1.90 m (see plan: ENTRANCES TO THE CARROUSEL DU LOUVRE).
Open every day from 7 am to 11 pm, the Carrousel-Louvre parking garage is accessible from Avenue du Général Lemonnier coming from either Rue de Rivoli or the Quai des Tuileries.

The parking garage closes its doors at night from 11 pm to 7 am, except for monthly pass holders who have access 24 hours a day. The exits are open 24 hours a day for all users.

PEDESTRIAN ACCESS

*Access 1 - 99, rue de Rivoli
from 7.30 am to 10.30 pm*

*Access 2 - Corner of Rue de Rivoli and Avenue du Général Lemonnier
from 7 am to 11 pm
from 11 pm to 7 am with an entrance ticket, or monthly pass, or bank card already registered at the entrance.*

*Access 3 - The Carrousel Arch (north stairway)
from 7 am to 11 pm
from 11 pm to 7 am with an entrance ticket, or monthly pass, or bank card already registered at the entrance.*

ORDER FORM

Name or Business name _____
Address _____
Town/City _____ Postcode _____ Country _____
Telephone _____ Fax _____
Stand manager _____
Head of the company _____

L I G H T V E H I C L E S		
Vehicle	Period of Validity	Price (incl. tax)
Light vehicles h < 1.90	November 5 - 8 2009	€100
Light vehicles h < 1.90	November 4 - 8 2009	€125

_____ place (s) (light vehicles) x €100 (incl. tax) = € _____
_____ place (s) (light vehicles) x €125 (incl. tax) = € _____

TOTAL incl. tax € _____

Important note:
Order received without the payment to Ateliers d'Art de France enclosed will not be taken into consideration.

Date _____ Signature and business stamp
(Make cheque payable to Ateliers d'Art de France)

3b Electrical connection

(For unequipped stands only)

Permanent power connection installation and consumption included

Prices (excl. VAT)

Power (kW)	Set price 1 to 5
3 KW	€ 255.47 excl. tax
4 KW	€ 419.07 excl. tax
5 KW	€ 473.55 excl. tax
6 KW	€ 528.52 excl. tax
8 KW	€ 609.60 excl. tax
10 KW	€ 688.97 excl. tax
15 KW	€ 807.74 excl. tax
18 KW	€ 924.42 excl. tax

4. Telephone connection

Photocopy and return **original**

to: **Ateliers d'Art de France**

6, rue Jadin, 75017 Paris, France

Tel. +33 (0)1 44 01 08 30 - Fax: +33 (0)1 44 01 08 45

Deadline for returning this form: 16 October 2009

Name or Business name _____

Stand Manager _____ Tel _____

Telephone Line: x € 206.36 excl. tax
(package: 1 line + 300 units)

Numeris Lines:

• Availability of Carrousel de Louvre Numeris line x € 300.02 excl. tax
(**only 4 lines available*** – valid from 4-8 November)

• France Telecom Numeris Line x € 555.92 excl. tax
(valid from 4-8 November)

ADSL Lines:

• Availability of Carrousel de Louvre ADSL Line 2 x € 562.75 excl. tax
(modem 1 port and Ethernet cable provided, private IP address granted by DHCP server, SMTP email server included: smtp.hubtelecom.net. Configuration of customer equipment and Ethernet card not included **installation 4 November - 30 lines available***)

• Fixed public IP Address: x € 50.40 excl. tax

• Hire Netgear standard 8 port switch: x € 65.78 excl. tax

Subtotal € _____

+19.60 % VAT* € _____

Total incl. tax € _____

Date, signature and business stamp

* these lines will be allocated in the order in which the requests arrive

5. Additional supplies and furnishings

(For equipped & artisan stands only)

Photocopy and return **original**
to: **Ateliers d'Art de France**
6, rue Jadin, 75017 Paris, France
Tel. +33 (0)1 44 01 08 30 - Fax: +33 (0)1 44 01 08 45
Deadline for returning this form: 16 October 2009

Name or Business name _____

Stand manager _____ Tel. _____

Description	Quantity	Unit price (excl. VAT)	Total (excl. VAT)
First electrical socket		€ 75.00	
Additional socket(s)		€ 38.50	
One 300 W quartz spotlight		€ 69.00	
One 100 W incandescent spotlight		€ 38.50	
Partition for storage room (per metre)		€ 81.00	
Door for storage room		€ 120.00	

Subtotal € _____

+19.60% V.A.T.* € _____

Total (incl. tax) € _____

Date, signature & business stamp

6. Set up / Breakdown

Access to the delivery zone

Photocopy and return **original**
to: **Ateliers d'Art de France**
6, rue Jadin, 75017 Paris, France
Tel. +33 (0)1 44 01 08 30 - Fax: +33 (0)1 44 01 08 45
Deadline for returning this form: 16 October 2009

REQUEST FOR VEHICLE ACCESS TO THE DELIVERY DOCK

delivery time: maximum 60 minutes

Set up: Tuesday 3 November, 12 noon to 7.00 pm
(for unequipped stands only)

Stand name: _____
Stand number: _____
Stand manager: _____
Telephone: _____ Fax : _____
Vehicle characteristics: _____

REQUEST FOR VEHICLE ACCESS TO THE DELIVERY DOCK

delivery time: maximum 60 minutes

Set up: Wednesday 4 November, 8.00 am to 5.00 pm

Stand name: _____
Stand number: _____
Stand manager: _____
Telephone: _____ Fax : _____
When would you like your vehicle to arrive: morning afternoon
Vehicle characteristics: _____

REQUEST FOR VEHICLE ACCESS TO THE DELIVERY DOCK

delivery time: maximum 60 minutes

Breakdown: Sunday 8 November, 7.00 pm to 12 midnight

Stand name: _____
Stand number : _____
Stand manager: _____
Telephone : _____ Fax : _____
Vehicle characteristics: _____

7. Safety regulations

1 - General Observations

Safety precautions against risks of fire, and panic resulting from it, inside buildings open to the public have been stated in the decree of 25 June 1980 (General Regulations). The decree dated 18 November 1987 stipulates the special precautions to be applied within exhibition halls. The decision of 23 January 1985 prescribes the safety rules applicable to marquees, tents and structures. The following text is made up of extracts from these regulations so as to facilitate their comprehension.

The Safety Commission is very strict as to the set-up and installation of stands (stability, construction material, decoration, electrical fittings etc.). All decisions taken by this commission during its inspection – which will take place the day before or early in the morning of the opening day – will have to be carried out immediately.

All stand installations must be terminated by the time of the inspection visit. The exhibitor or his representative is obliged to be present on the stand and should be able to produce all official reports concerning the fire resistance/reaction of any material applied. Any non-observation of this regulation might result in the removal of material or the interdiction of opening the stand to visitors.

All projects of a certain importance must receive the approval of the person in charge of fire safety in all exhibitions. All plans and technical information in this respect should be passed on to the organizers of the show at least one month before the opening of the event.

During the installation period of exhibition, the person in charge of fire safety will supervise the application of the safety regulations mentioned hereafter. In addition, all further information regarding fire safety and security may be obtained by calling the PCSI (tel. +33 (0)1 49 03 71 70).

Material for classification (Decree of 30 June 1983)

Materials are classified into five categories:

Mo, M1, M2, M3 and M4. Mo applies to fireproof materials.

2 - Stands

a) - Structure and walls

- Large-scale furnishings All Mo, M1, M2 or M3 (1) category materials are authorised for the construction of the structure and walls of the stands and for the construction of large-scale furnishings (ticket office, counter, bar, display unit, separating screen, etc.). Conventional classification of wood-based materials (Decree of 30 June 1983)

The following are deemed to correspond to the features of M3 category materials:

- non-resinous solid wood of thickness greater than or equal to 14 mm;
- resinous solid wood of thickness greater than or equal to 18 mm;
- wood-derivate panels (plywood, laths, fibres, particles) of thickness greater than or equal to 18 mm.

CAUTION: It is strictly forbidden to arrange any fitting whatsoever above the alleys (signs, walkways, etc.).

b) - Covering materials

b1) Wall coverings

Wall coverings (natural or artificial textiles) must be Mo, M1 or M2 (1) category materials. They may be hung or stapled.

Various thin coverings (fabrics, paper, and plastic films - maximum thickness 1 mm) may be used if pasted to supports of Mo, M1, M2 or M3 materials.

However, embossed or relief paper may only be pasted to Mo category materials. Exhibition equipment may be displayed on stands without reaction to fire requirements. However, if such equipment is used to decorate partitions or false ceilings and if they represent more than 20% of the total surface of these elements, the provisions laid down in the above paragraphs shall apply. However, these provisions do not apply to exhibitions or stands devoted to interior decoration at or on which wall decorations or textiles are presented.

b2) Curtains, Hangings and Veiling

Curtains, hangings and veiling may be loose if made from Mo, M1 or M2 (1) category materials. They are however prohibited on stand entry/exit doors, but authorised on compartment doors.

b3) Paint and Varnish

Paints and varnishes are strictly prohibited if they are known to be flammable.

b4) Coverings for floors, podiums, platforms and banks of seats

Floor coverings must be made from M4 category materials and be firmly fixed.

Coverings, horizontal or otherwise, for podiums, platforms and banks of seats over 0.30 meters high and over 20 m² in total area, must be manufactured from M4 category materials.

CAUTION: For carpets classified M3 or M4 laid on to wood, please take into account the laying method. The reaction to fire report must state: "Valable en pose tendue sur tout support M3" (valid when laid stretched on all M3 supports).

c) - Decorative materials

c1) Floating materials

Floating or loose decorative materials or trim (publicity panels over 0.50 m², garlands, light decorative objects, etc.) must be made from Mo or M1 category materials.

The use of white letters on a green background is strictly forbidden for banners or publicity panels, as these colours are exclusively reserved for exits and emergency exits.

c2) Floral decorations

Synthetic flower decorations must be restricted. Otherwise these decorations must be made from M2 category materials. These provisions do not apply to exhibitions and stands specialising in floral activities.

NB: For natural plants, we recommend that you use peat soil which should be kept permanently moist.

c3) Furniture

There are no special requirements for common furniture (chairs, tables, desks, etc.). Racks, counters, shelving, etc. must however be made of M3 (1) category materials.

d) - Canopies - Ceilings - False Ceilings

The covered area of stands with a full canopy, ceiling or false ceiling must be less than 300 m². If the covered area is over 50 m², provisions for suitable fire extinguishing methods and the permanent presence of at least one safety officer must be made whenever the Show is open to the public.

d1) Canopies

Canopies are authorised under the following conditions:

In buildings protected by an automatic sprinkler system, canopies must be made from Mo, M1 or M2 (1) category materials;

In buildings without an automatic sprinkler system, they must be made from Mo or M1 category materials.

They must also be fitted with an effective fixing system to prevent them from falling down and be supported by criss-crossed wires forming a mesh which must be a maximum of one square metre apart.

In all cases, ceilings and false ceilings must be suspended and fixed using Mo category materials.

Furthermore, if the components of the ceilings or false ceilings are open or form a grid pattern, they may be made of M2 category materials if the area of the solid parts is less than 50% of the total area of the ceiling or false ceiling.

e) - Fireproofing

Proof of the reaction to fire classification for the materials used in exhibition halls must be provided when requested by the chief safety officer. This may be in the form of labels, reports or certificates. Coverings and materials which comply with the safety requirements are on sale at specialist shops that must provide certificates corresponding to the category of the material. To obtain a list of these shops, write to Le Groupement Non Feu, 37-39 rue de Neuilly, BP 249, 92113 Clichy, France - tel. +33 (0)1 47 56 30 71. Fireproofing may give M2 properties to materials

which are normally inflammable. This may be done by spraying with a special liquid, by applying a special paint or varnish with a brush, or by soaking in a special bath. The fireproofing work may be carried out by the decorators, who must be in a position to provide full information concerning the treatment of the materials, or by an approved applicator, who will issue a standard form certificate to the exhibitor; this certificate will include the nature, area and colour of the covering treated, the product used, the date of the operation and the operator's stamp and signature. The names and addresses of approved applicators can be obtained from Le Groupement Technique Français de l'Ignifugation, 10 rue du Débarcadère, 75017 Paris, France - tel. +33 (0)1 40 55 13 13).

N.B. Fireproofing may only be carried out on wood panels or on natural fabrics or comprising a high proportion of natural fibres. It is impossible on synthetic materials and plastics.

Very important:

Reports issued in other countries cannot be taken into consideration. Only reports issued by approved French laboratories are accepted.

3 - Electricity

a) - Electrical Installation

The electrical installation on each stand must be protected at source against surges and against defects at the earth.

All metallic masses must be interconnected and then connected to the earthing point of the stand switch box.

Electrical connections must be arranged inside the branch box.

Power disconnection devices must be accessible to the stand personnel at all times.

b) - Electrical equipment

b1) Electric cables

Electric cables must be insulated to a minimum voltage of 500 V. Only use cable which has a protective coating on each of its conductors which are housed in a further protective coating.

b2) Conductors: the use of conductors of less than 1.5 mm² is prohibited.

b3) Electrical appliances

Class 0 (1) electrical appliances must be protected by nominal differential current devices equal to 30 MA maximum.

Class I (1) appliances must be connected to the protective conductor of the supply line.

Only class II (1) appliances bearing the symbol are recommended.

b4) Multiple sockets

Only multiple adaptors or cases connected to a fixed socket are authorised (moulded adaptor plugs).

b5) Halogen lamps (EN standard 60598)

Stand lighting using halogen lamps must :

- be placed at a minimum height of 2.25 metres;
- not be placed near inflammable materials (at least 0.5 m from wood and other decorative materials);
- be firmly fixed;
- be fitted with a safety screen (glass or fine wire mesh) guaranteeing protection from the effects of an exploding lamp.

b6) High voltage illuminated signs

High voltage illuminated signs situated in the range of the public or stand personnel must be protected, particularly the electrodes, by a screen made of material of at least category M3. The disconnection device must be indicated and the transformers positioned in a place out of danger to the public and personnel. They may also be identified by a sign with the words "Danger, haute tension".

4 - Enclosed stands - Rooms set up within the halls

a) - Enclosed stands

Occasionally exhibitors prefer enclosed stands. In this case, the stands must have direct exits to the aisles. The number and size of the exits depend on the area of the stand:

- less than 20 m²: one 0.90 m exit
- 20-50 m²: one 0.90 m and one 0.60 m exit
- 50-100 m²: either two 0.90 m exits, or one 1.40 m and one 0.60 m exit.
- 100-200 m²: either one 1.40 m and one 0.90 m exit, or three 0.90 m exits
- 200-300 m²: two 1.40 m exits
- 300-400 m²: one 1.80 m and one 1.40 m exit.

The exits must be judiciously spaced and if possible on opposite walls. Each must be indicated by a sign with the word "Sortie" in legible white letters on a green background. If the stand has doors on the exits, they must not be lockable and must open outwards, but not directly into the aisles.

b) - Rooms set up within the halls

Apart from the areas reserved for exhibition purposes, meeting rooms, restaurants, cinemas, or presentation rooms with banks of seats or platforms, etc.

Galleries with standing places must have a ground resistance of 600 kg/m². Galleries with seats must have a ground resistance of 400 kg/m². The steps up to the gallery seats must be between 0.10 m and 0.20 m in height and a minimum tread board of 0.20 m. Flights of steps are limited to ten and the alignment of the nosing must not exceed an angle of 45°.

As each case is particular, a detailed drawing must be submitted to the head of safety who will define the measures to be applied.

5 - Emergency devices

All emergency devices must stay clearly visible.

At any time there must be free access to any emergency device (fire hydrants and stand pipes, fire plugs with hose and spout, telephones, fire extinguishing cartridges, smoke outlet controls, etc.)

Fire plugs with hose and spout.

On stands equipped with fire plugs with hose and spout, there must be a free passage of 1 metre from the closest hall gangway for public passage to this safety device; no material or exhibits must be in the way. It is strictly forbidden to hide or cover up the device with any fabric or panelling.

6 - General instructions

It is forbidden to stock any cases, wood, straw, cardboard boxes etc. on stands or free passages close to stands. Dust and rubbish from all stands and structures should be removed in the course of regular daily cleaning.

All such garbage resulting from the daily cleaning should be removed every day and brought outside the exhibition premises before opening to the public

Entrances to the Carrousel du Louvre

BY CAR

Access to the Carrousel du Louvre parking garage is through the tunnel on Avenue Général Lemonnier, accessible from the Quai des Tuileries when coming from Place de la Concorde, from Rue de Rivoli or Pont Royal when coming from the left bank.

The parking garage offers 600 places for automobiles.
Under the tunnel, at the stop light, follow the sign: "Parking Carrousel Louvre".

DELIVERY ENTRANCE

Entrance to the delivery zone is through the tunnel on Avenue du Général Lemonnier only, via the Quai des Tuileries, Rue de Rivoli or Pont Royal.

Follow the sign: "Parking Livraisons Carrousel Louvre".

COACH ENTRANCE

The coach entrance is from the Quai des Tuileries, Rue de Rivoli and Pont Royal.

The parking garage has 80 places for coaches.

Follow the sign: "Parking Autocars Carrousel Louvre".

PEDESTRIAN ENTRANCES


The main pedestrian entrance is at 99, Rue de Rivoli

There is a direct link from the Palais Royal - Musée du Louvre metro station (lines 1 & 7), open 9.00 am to 8.00 pm every day.

Entrances from the Carrousel gardens (located either side of the Carrousel Arch).


Taxi drop off point at 99, Rue de Rivoli or Place du Carrousel.

Bus: Palais-Royal station (Théâtre Français) routes no. 21, 27, 39, 81 and 95.



Delivery zone

From the Lemonnier tunnel, follow the arrows to: **"Aire de livraison Carrousel Louvre"**.
Signs marked with the names of the rooms and platforms are posted in the delivery zone.



Information

Our suppliers

Brelet Nantes

Routes de la Pyramide – BP 23307
44233 Saint Sébastien sur Loire
Telephone : +33 (0)2 40 34 35 83
Fax : +33 (0)2 40 34 35 39 - www.brelet.fr
Contact : FABRICE HUBIN

Régie Technique

T2 PRODUCTION
34 rue du Président Wilson
92300 Levallois-Perret
Telephone : 06 15 54 39 18
Contact : Marc Mayeur
email : marc.mayeur@t2prod.fr

Furniture Rental

GL EVENTS
33, rue Perrotin - 92322 Châtillon cedex
Telephone: +33 (0)1 41 17 32 00
Fax: +33 (0)1 41 17 32 28 - www.gl-events.com
Contact: Mériam Kitar

Flowers

JARDINS DE GALLY
Ferme de Vauluceau 78870 Bailly
Telephone: +33 (0)1 39 63 20 20
Fax: +33 (0)1 39 63 48 48
www.gally.com

Food Service - Caterer

LE COU DE LA GIRAFE
118-130, Avenue Jean-Jaurès - 75169 Paris cedex 19
Telephone: +33 (0)1 43 99 16 06
Fax: +33 (0)1 43 39 94 24
email: hbehar@lecoudelagirafe.com

Carpeting - Wall coverings

VAINGLAS
28, rue Descartes - 94200 Ivry
Telephone: +33 (0)1 46 72 58 07
Fax: +33 (0)1 46 71 28 04
www.vainglas.com

Security Guards

GPS
3, rue Labouret - 94220 Charenton le Pont
Telephone: +33 (0)1 43 96 12 00
Fax: +33 (0)1 43 53 36 18
www.gps-securite.com

Audiovisual

LARSEN
Z.A.E Louis Armand
7, rue Louis Armand - 95600 Eaubonne
Telephone: +33 (0)1 39 59 05 00
Fax: +33 (0)1 39 59 06 00
email: larsen2@orange.fr

Insurance

AUXILIAIRE NOUVELLE DES ASSURANCES
24 rue Cambacérés - 75413 Paris cedex 08
Telephone: +33 (0)1 53 20 39 30
Fax: +33 (0)1 53 20 39 31

Safety - Fire

PCSI
CNIT - 2 place de la Défense - BP 353
92053 Paris la Défense
Telephone: +33 (0)1 49 03 71 70
Fax: +33 (0)1 49 03 71 78
site: www.pcsi.fr

Hotel Bookings

A.T.I.
46/48, rue Lauriston - 75116 Paris
Telephone: +33 (0)1 47 27 15 15
Fax: +33 (0)1 44 05 01 48
site: www.ati-abotel.com
email: patrimoine@ati-abotel.com

Hostesses

V D PROMOTION
92, rue Anatole France - 92300 Levallois-Perret
Telephone: +33 (0)1 40 89 24 44
Fax: +33 (0)1 40 89 00 36
site: www.vdpromotion.com

The suppliers' catalogues can be consulted on the Internet. They will only be sent by post if you request it.